



**1 ton Electric Chain Hoist w/ Power
Trolley 1 Speed 110V 1Ø, 60HZ 20ft
G100 Nickel Wireless FCC
Certificate Duty H2/M3**

Especificaciones Técnicas

| | | | |
|---|--|---------------------------------|--|
| Capacidad de Carga | 1 ton | Numero de Velocidades | 1 Speed |
| Voltaje | 1 Phase 120V 60Hz | Protección IEC Motor | IP55 |
| Tipo Transmisión / Reductor | Spur gearbox | Tipo de Cadena | G100 Nickel |
| Dimensiones de la Cadena | 7.1 mm | Caidas de Cadena | 2 |
| Longitud de cadena | 40 | Humedad | 20%~90% |
| Temperatura | -4 ~ 104° F / -20 ~ 40° C | Potencia del Trolley | 500 |
| Cantidad de Velocidades | 1 | Normas | ASME HST-1 , ASME B30.16 , B30.17 , EN60204-36 |
| Garantía | 3 Year | Hoist Contactors Amps | 25A |
| Hoist Contactor Coil Voltage | 24 V | IEC Hoist IP Protection | IP55 |
| Pendant Control Yes No | Yes | IEC Pendant Control Protection | IP66 |
| Pendant Control Emergency Stop | Yes | Pendant Control total Length | 17 ft |
| Hoist Motor Power in KW | 0,75 | Hoist Motor Insulation Grade | F |
| Optional Load Chain Brand & Country of Origin | FEC Japan or RUD Germany | Reducer Lubrication Type | Oil |
| Paint Specifications | Electrostatic Sprayed Plastic (ESP) Epoxy resins, Polyester Resins, Barium, Pigments | Standards Certified | CE |
| Trolley Motor Insulation Grade | F | Trolley Contactors Coil Voltage | 24 V |
| Trolley Limit Switches | Yes | Trolley Wheel Diameter | 95 |
| Trolley Wheel Material | No. 45 steel | Trolley Minimum Turn Radius | 1,3 |
| Trolley Beam Range | 2" to 6" | Trolley Beam Extension Kit | up to 12" |
| Load Chain weight per foot [lbs] | 0.73 | 1st Package Type | Wood Crate |
| 2nd Package Type | Wood Crate | | |

Peso & Dimensiones

| | |
|-------------------|------------------|
| Peso Total | 308 lbs / 140 Kg |
|-------------------|------------------|

Detalles del Empaque

| | |
|------------------------|-------|
| H Altura Muerta | 31.89 |
|------------------------|-------|

| | |
|-----------------------|-------|
| A Altura Total | 26.57 |
|-----------------------|-------|

| | |
|----------------|-------|
| D Depth | 27.36 |
|----------------|-------|

| | |
|----------------|-------|
| W Ancho | 16.54 |
|----------------|-------|

| | |
|----------------------|------|
| J Boca Gancho | 2.36 |
|----------------------|------|

| | |
|--|--------|
| Peso Total (sin cable o cadena) | 175.43 |
|--|--------|

Referential Images / Imágenes Referenciales
Specifications may change without notice / las especificaciones pueden cambiar sin previo aviso